



## The light power IPL Yeelight User Manual




Due to use of this product, Yeelight LED rice lamps with high quality, and to use of new interactive mode in conjunction with algorithmic mix of natural light, with support of 16 million colors, your home will be decorated to your taste.

## Usage




Clean and prepare a surface for installation



Glue to a surface of installation



Insert the power adapter into the socket



Press once "□", light strip lights on. One more time press «□», light strip is off. Press and hold «□», to choose light color.

## Intellectual operation



1. Scan two-dimensional code or download Yeelight mobile application in App store.
  2. To ensure that the power light is switched on, open a program and follow the instructions in the application.
- \* Make sure that Wi-Fi and Internet connection are available.

This product and intellectual platform support MIUI system, and be in a network relationship with the rest of intellectual platform products.

## Reset to factory settings

Disconnect the power adapter, press and hold a power button for 5 seconds, and when the light strip run colors - red, green, blue, release a button. When indicator light will change color to yellow, it would mean that the reset was successful.

\* When the light strip used in new scheme, update the factory settings and connect the light strip with this scheme.

## Cautions

1. Before using this product, check the voltage that is supplied to him; voltage mismatch can cause damage to the product and present danger.
2. The LED module is not replaceable, disassemble the product without permission.
3. Light power allocates heat during exploitation, so you need to ensure environmental air ventilation to cool the light strip.

## Main parameters

Model: YLDD01YL;  
Color mode: RGB;  
Lifetime: about 25000 hrs;  
OS: Android i OC IOS;  
Wireless connection: Wi-Fi IEEE 302.11 B / G / N 2,4 GHz;  
Temperature range: -10- + 40°C;  
Humidity range: 0% - 85%;  
Input voltage: 12 B, 1 A (-)-(-(+);  
Power: 100-240 V, ~ 50/60 Hz, 0,5 A;  
Capacity: 12 Wt (60 x 0,2 elements / LED module).

## Content of harmful substances in the product


Name of part	Harmful elements					
	(Pb)	(Hg)	(Cd)	(Cr (VI))	(PBB)	(PBDE)
Light strip	○	○	○	○	○	○
Controller	○	○	○	○	○	○
Adaptor	×	○	○	○	○	○
Cable	×	○	○	○	○	○
Box	○	○	○	○	○	○

This table meets SJ / T 11364 standard  
 ○: It indicates that an amount of hazardous substances in the material of the part is less, than the limit specified by GB / T 26572.  
 ×: Indicates that at least one of the components of dangerous substances are present in excess of the limits specified in GB / T 26572.


## Functions



Color adjusting



Light adjusting



Adding function



Scene change




Time relay



Delay



Operation by  
smartphone



Soft update

## Warranty

The guarantee is provided according to «Consumer Rights Law of China» and the «Law on product quality of China», service Yeelight products based on the following three positions:

1. Within 7 days from purchase, in case of problems from «Table of malfunction of the product» Yeelight after-sales service center decide whether to take the goods back and reimburse a cost or replace it with a new .
2. Within 8-15 days from purchase, in case of problems from «Table of malfunction of the product» Yeelight after-sales service center decide whether to replace it with a new or do maintenance.

3. Within 12 months from purchase, in case of problems from «Table of malfunction of the product» Yeelight after-sales service center decide whether to take the goods back and reimburse a cost or do maintenance.

## The warranty does not cover such cases:

1. Unauthorized repair, misuse, interference touch, neglect, ill-treatment, the effect of fluid accident, alterations or destruction, modification, ignoring labels and safety instructions.
2. Expiration of the warranty period.
3. Damage, caused by force majeure.
4. Problems, that does not meet «Table of product faults».
5. When failures appropriate to «Table of product faults» but caused by human. For example, using wrong voltage, use a custom adaptor, use in an environment, that does not meet the conditions of operation, etc., which leads to malfunction of the product.

## Table of product faults

Device	Fault
Light strip	No light
	Colors not change
Controller	Light strip not found
	Buttons not work
	Unable to reset
Adaptor	No power in light strip

## Please read the manual before using the product

Welcome to the web site Yeelight <http://www.yeelight.com>  
Or call Yeelight telephone service: 400-619-7969 about after-sales issues  
Implementation of standards: Q / QDYLK0001-2015  
Manufacturer: Qingdao Yilianke Information Technology Co., Ltd  
Address: B4, Block B, Qingdao International Innovation Park, No. 1 Weiyi Road, Laoshan District, Qingdao, China (China)  
Phone service: 400-619-7969

[XIAOMI-MI.COM](http://XIAOMI-MI.COM)

[xiaomi-mi.com](http://xiaomi-mi.com)

